

**EV Protec FZE**  
G18, Phase 3, Dubai Industrial City  
**Dubai, UAE**  
T. +971 44209669 | +971 551393968  
Email. info@evprotec.com



## AC Electric Vehicle Charger (GB/T)- 22 kW

**GB/T Vehicle Charger**

**MODEL: FWL-GBTEVCharger**



**APPLICATION** Indoor/Outdoor

## **PRODUCT INFORMATION**

AC Electric vehicle charger is a Smart EV Charging Station with GBT Plug Socket

## **SPECIFICATION TABLE**


DESCRIPTION	VALUE
POWER	22kW
HUMIDITY	5%-95% No Congeal
ALTITUDE HEIGHT	2000m
NOISE CONTROL	Less Than 30 db
INPUT VOLTAGE	3/N/PE ~ 380V
INPUT FREQUENCY	50Hz
THE MAX POWER	22kW
ELECTRICITY RELAY SPEC	40A 250VAC
MAX RATED OUTPUT	32A
CABLE LENGTH	5M
CHARGING METHOD	RFID Card / Plug and Charge / APP/ Reservation Charging
LOAD BALANCE	CT+Single / Three Phase Meter
OCPP	4G / Ethernet
BRAND	<a href="#">EV PROTEC UK</a>
WARRANTY	<a href="#">02 Years</a>

## 1. CONNECTION MODE

### Normal Connection




### External Metering




## Load Balancing


### By CT




### By Electric Meter



### By Wireless CT



## Dynamic Load Balancing



## 2. MOBILE PHONE APPLICATION

After the installation is successful, configure the relevant parameters using mobile App

