

EV PROTEC
G18, Phase3,
Dubai Industrial City, **Dubai, UAE**
T. +971 44209669 | +971 551393968
Email. info@nizine.net



DATASHEET

2PCL-4T

2 POST CAR LIFT MODEL

MODEL: LIFTE-02PST-2437



APPLICATION Storage | Commercial| Indoor | Outdoor

PRODUCT INFORMATION

EV PROTEC 2 post lift is a true asymmetric clear floor two-post lift that features a 4000 kg lifting capacity and accommodates full-size trucks, vans, and standard passenger cars. Single-piece column construction, tubular steel lifting carriage, and direct-drive hydraulic cylinders ensure the best possible performance and reliability. Rotated asymmetric columns allow vehicles to be loaded with doors clear of the columns for convenient entry and exit of vehicles.

MAIN FEATURES

1. Optimum door clearance with the asymmetric lifting arm
2. Top beam design
3. Height limit switch
4. Arm pad
5. Automatic all-steel arm-locking device
6. Foot Protection Device
7. Reverse pulling the cylinder
8. The safety valve for anti-explosion of the hydraulic system
9. Synchronization cables
10. High-strength safety lock

TECHNICAL DETAILS

Lifting Capacity	4000 KG
Max Lifting Height	1850 mm
Overall Height	2784 mm
Lane width	2784mm
Net Weight	520/20 KG
Voltage	380V 3P 50Hz
Motor Power	2.2 kW
Model Code	JL860E

ITEM IMAGES:



