

VIEURE

EURO TYPE 2 CHARGER 22KW

MODEL: FWL-VIEURE-IP55



PRODUCT INFORMATION

Upgrade model of AE-A-G. Not only smart APP control, we also offer DLB and solar compatible functions. We hope these 2 useful functions can help users charge cars at home much safer, greener and more effective.

APPLICATION Home | commercial | Apartments

SPECIFICATION TABLE

SPECIFICATION	VALUE
Products dimension	390*205*115mm
Phases / Lines	1/3-phase
Type 2 charging plug and Cable Length	3.5m cable
Effective charging rate	7/11/22kW
Ingress Protection	IP55
Mechanical protection	IK10
Input /Output voltage	AC 220/400V
Input frequency	50/60Hz
Max. output power	7KW(1-Phase),11/22KW(3-phase)
Max. output current	16/32A
Charging interface type	IEC 62196-2
Over voltage protection	YES
Under voltage protection	YES
Overload protection	YES
Short circuit protection	YES
Earth leakage protection	YES
Over-temp protection	YES
Lightning protection	YES
WIFI/Bluetooth/APP	YES
LCD Display	YES
RCD	Type A+DC 6mA
LED Indicator light	YES
RFID	YES
DLB	YES
BRAND	EV PROTEC - UK

Product Info

Smart Charging with AE-A-G Pro



Dynamic load balancing data and output charging current setting



Charging history & record






Schedule charging setting.



Long Range

Long range online APP,
you can control it anywhere anytime.



Product Image

